

August 2025 EMS/Fire Response Report

| | Monthly Total | Yearly Total |
|--|---------------|--------------|
| By Unit | | |
| 514 | 101 | 757 |
| 516 | 11 | 83 |
| 503 | 9 | 14 |
| By City | | |
| Villa Hills | 60 | 510 |
| Crescent Springs | 45 | 268 |
| Unincorporated County area | 3 | 21 |
| Bromley | 0 | 0 |
| Covington | 0 | 0 |
| Crestview Hills | 0 | 0 |
| Edgewood | 0 | 0 |
| Elsmere | 0 | 0 |
| Erlanger | 7 | 17 |
| Fort Mitchell | 4 | 33 |
| Fort Wright | 0 | 0 |
| Lakeside Park | 0 | 2 |
| Ludlow | 0 | 0 |
| By Disposition | | |
| Treated/Transported | 81 | 569 |
| Treated/Transferred Care | 1 | 5 |
| | 4 | 24 |
| Treated/No Transport (AMA) No Transport/Refused Care | 19 | 132 |
| Cancelled | 8 | 75 |
| DOA | 0 | 4 |
| Treated/Transported by POV | 0 | 3 |
| Assist | 0 | 1 |
| Other | 8 | 41 |
| No patient found | 0 | 0 |
| No patient found | | |
| Total EMS Calls | 121 | 854 |
| Total Fire Responses | 65 | 432 |
| City | | |
| Crescent Springs | 27 | 165 |
| Villa Hills | 30 | 202 |
| Unincorporated Kenton County | 5 | 22 |
| Ft. Mitchell | 2 | 27 |
| Erlanger | 0 | 8 |
| Point Pleasant1 | 0 | 1 |
| | 1 | 3 |

Crescent Springs FD

Crescent Springs, KY

This report was generated on 9/2/2025 2:39:47 PM

Count of Incidents by Incident Type per Zone

Incident Status: Reviewed | Start Date: 08/01/2025 | End Date: 08/31/2025







Crescent Springs - City of
Crescent Springs
Edgewood - Edgewood Fire
Department
Ft. Mitchell - Fort Mitchell
Fire Department
Kenton County - Kenton County
- Covered by CSVHFD

Villa Hills - City of Villa Hills

| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|---|-------------|------------|
| Crescent Springs - City of Crescent Springs | | |
| 111 - Building fire | 1 | 1.54% |
| 311 - Medical assist, assist EMS crew | 1 | 1.54% |
| 321 - EMS call, excluding vehicle accident with injury | 9 | 13.85% |
| 322 - Motor vehicle accident with injuries | 2 | 3.08% |
| 324 - Motor vehicle accident with no injuries. | 1 | 1.54% |
| 420 - Toxic condition, other | 1 | 1.54% |
| 442 - Overheated motor | 1 | 1.54% |
| 445 - Arcing, shorted electrical equipment | 2 | 3.08% |
| 520 - Water problem, other | 1 | 1.54% |
| 554 - Assist invalid | 4 | 6.15% |
| 730 - System malfunction, other | 1 | 1.54% |
| 733 - Smoke detector activation due to malfunction | 2 | 3.08% |
| 743 - Smoke detector activation, no fire - unintentional | 1 | 1.54% |
| Zone: Crescent Springs - City of Crescent Springs Total Incident: | 27 | 41.54% |
| Edgewood - Edgewood Fire Department | | |
| 571 - Cover assignment, standby, moveup | 1 | 1.54% |
| Zone: Edgewood - Edgewood Fire Department Total Incident: | 1 | 1.54% |
| Ft. Mitchell - Fort Mitchell Fire Department | | |
| 311 - Medical assist, assist EMS crew | 1 | 1.54% |
| 571 - Cover assignment, standby, moveup | 1 | 1.54% |
| Zone: Ft. Mitchell - Fort Mitchell Fire Department Total Incident: | 2 | 3.08% |
| Kenton County - Kenton County - Covered by CSVHFD | | |
| 321 - EMS call, excluding vehicle accident with injury | 1 | 1.54% |
| 322 - Motor vehicle accident with injuries | 2 | 3.08% |
| 561 - Unauthorized burning | 1 | 1.54% |
| 651 - Smoke scare, odor of smoke | 1 | 1.54% |
| Zone: Kenton County - Kenton County - Covered by CSVHFD Total Incident: | 5 | 7.69% |

Report shows count of incidents for Status selected.



| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|--|-------------|------------|
| Villa Hills - City of Villa Hills | | |
| 162 - Outside equipment fire | 1 | 1.54% |
| 251 - Excessive heat, scorch burns with no ignition | 1 | 1.54% |
| 311 - Medical assist, assist EMS crew | 1 | 1.54% |
| 321 - EMS call, excluding vehicle accident with injury | 12 | 18.46% |
| 412 - Gas leak (natural gas or LPG) | 2 | 3.08% |
| 440 - Electrical wiring/equipment problem, other | 1 | 1.54% |
| 554 - Assist invalid | 8 | 12.31% |
| 733 - Smoke detector activation due to malfunction | 1 | 1.54% |
| 736 - CO detector activation due to malfunction | 1 | 1.54% |
| 743 - Smoke detector activation, no fire - unintentional | 2 | 3.08% |
| Zone: Villa Hills - City of Villa Hills Total Incident: | 30 | 46.15% |
| TOTAL INCIDENTS FOR All ZONES: | 65 | 100% |

Crescent Springs FD

Crescent Springs, KY


This report was generated on 9/2/2025 2:40:14 PM



Incident Status: Reviewed | Start Date: 01/01/2025 | End Date: 12/31/2025









Kenton County - Kenton County
- Covered by CSVHFD
Point Pleasant - Point Pleasant
Fire Department
TRT - Technical Rescue Team
Call Out
Villa Hills - City of Villa
Hills

| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|--|-------------|------------|
| Crescent Springs - City of Crescent Springs | | |
| 111 - Building fire | 1 | 0.23% |
| 130 - Mobile property (vehicle) fire, other | 1 | 0.23% |
| 132 - Road freight or transport vehicle fire | 1 | 0.23% |
| 140 - Natural vegetation fire, other | 3 | 0.69% |
| 142 - Brush or brush-and-grass mixture fire | 3 | 0.69% |
| 162 - Outside equipment fire | 1 | 0.23% |
| 251 - Excessive heat, scorch burns with no ignition | 1 | 0.23% |
| 311 - Medical assist, assist EMS crew | 19 | 4.40% |
| 321 - EMS call, excluding vehicle accident with injury | 48 | 11.11% |
| 322 - Motor vehicle accident with injuries | 16 | 3.70% |
| 324 - Motor vehicle accident with maries 324 - Motor vehicle accident with no injuries. | 9 | 2.08% |
| 400 - Hazardous condition, other | 1 | 0.23% |
| 411 - Gasoline or other flammable liquid spill | 1 | 0.23% |
| 412 - Gas leak (natural gas or LPG) | 2 | 0.46% |
| 413 - Oil or other combustible liquid spill | 1 | 0.23% |
| 420 - Toxic condition, other | 1 | 0.23% |
| 440 - Electrical wiring/equipment problem, other | 7 | 1.62% |
| 442 - Overheated motor | 2 | 0.46% |
| 444 - Power line down | 1 | 0.23% |
| 445 - Arcing, shorted electrical equipment | 5 | 1.16% |
| 520 - Water problem, other | 1 | 0.23% |
| 554 - Assist invalid | 6 | 1.39% |
| 561 - Unauthorized burning | 2 | 0.46% |
| 600 - Good intent call, other | 7 | 1.62% |
| 622 - No incident found on arrival at dispatch address | 4 | 0.93% |
| 651 - Smoke scare, odor of smoke | 3 | 0.69% |
| | 2 | 0.46% |
| 730 - System malfunction, other733 - Smoke detector activation due to malfunction | 5 | 1.16% |

Report shows count of incidents for Status selected.



| 43 - Smoke detector activation, no fire - unintentional | 7 | 1.62% |
|---|-----|--------|
| 44 - Detector activation, no fire - unintentional | 3 | 0.69% |
| 45 - Alarm system activation, no fire - unintentional | 1 | 0.23% |
| Zone: Crescent Springs - City of Crescent Springs Total Incident: | 165 | 38.19% |
| dgewood - Edgewood Fire Department | | |
| 71 - Cover assignment, standby, moveup | 3 | 0.69% |
| Zone: Edgewood - Edgewood Fire Department Total Incident: | 3 | 0.69% |
| Erlanger - Erlanger Fire Department | | |
| 32 - Road freight or transport vehicle fire | 1 | 0.23% |
| 321 - EMS call, excluding vehicle accident with injury | 1 | 0.23% |
| 571 - Cover assignment, standby, moveup | 6 | 1.39% |
| Zone: Erlanger - Erlanger Fire Department Total Incident: | 8 | 1.85% |
| -t. Mitchell - Fort Mitchell Fire Department | | |
| | 1 | 0.23% |
| 311 - Medical assist, assist EMS crew 322 - Motor vehicle accident with injuries | 1 | 0.23% |
| 571 - Cover assignment, standby, moveup | 25 | 5.79% |
| Zone: Ft. Mitchell - Fort Mitchell Fire Department Total Incident: | 27 | 6.25% |
| Kenton County - Kenton County - Covered by CSVHFD | | |
| | 1 | 0.23% |
| 113 - Cooking fire, confined to container | 1 | 0.23% |
| 133 - Rail vehicle fire 321 - EMS call, excluding vehicle accident with injury | 2 | 0.46% |
| 322 - Motor vehicle accident with injuries | 3 | 0.69% |
| 440 - Electrical wiring/equipment problem, other | 2 | 0.46% |
| 444 - Power line down | 2 | 0.46% |
| 500 - Service Call, other | 1 | 0.23% |
| 522 - Water or steam leak | 1 | 0.23% |
| 553 - Public service | 1 | 0.23% |
| 561 - Unauthorized burning | 1 | 0.23% |
| 600 - Good intent call, other | 1 | 0.23% |
| 651 - Smoke scare, odor of smoke | 2 | 0.46% |
| 734 - Heat detector activation due to malfunction | 1 | 0.23% |
| 735 - Alarm system sounded due to malfunction | 2 | 0.46% |
| 745 - Alarm system activation, no fire - unintentional | 1 | 0.23% |
| Zone: Kenton County - Kenton County - Covered by CSVHFD Total Incident: | 22 | 5.09% |
| Point Pleasant - Point Pleasant Fire Department | | |
| 571 - Cover assignment, standby, moveup | 1 | 0.23% |
| Zone: Point Pleasant - Point Pleasant Fire Department Total Incident: | 1 | 0.23% |
| TRT - Technical Rescue Team Call Out | | |
| 571 - Cover assignment, standby, moveup | 4 | 0.93% |
| Zone: TRT - Technical Rescue Team Call Out Total Incident: | 4 | 0.93% |
| Villa Hills - City of Villa Hills | | |
| 111 - Building fire | 1 | 0.23% |
| 113 - Cooking fire, confined to container | 2 | 0.46% |



| 142 - Brush or brush-and-grass mixture fire | 1 | 0.23% |
|--|-----|--------|
| 151 - Outside rubbish, trash or waste fire | 1 | 0.23% |
| 154 - Dumpster or other outside trash receptacle fire | 1 | 0.23% |
| 162 - Outside equipment fire | 2 | 0.46% |
| 251 - Excessive heat, scorch burns with no ignition | 1 | 0.23% |
| 311 - Medical assist, assist EMS crew | 22 | 5.09% |
| 321 - EMS call, excluding vehicle accident with injury | 82 | 18.98% |
| 322 - Motor vehicle accident with injuries | 5 | 1.16% |
| 324 - Motor vehicle accident with no injuries. | 1 | 0.23% |
| 341 - Search for person on land | 1 | 0.23% |
| 352 - Extrication of victim(s) from vehicle | 1 | 0.23% |
| 353 - Removal of victim(s) from stalled elevator | 2 | 0.46% |
| 365 - Watercraft rescue | 1 | 0.23% |
| 412 - Gas leak (natural gas or LPG) | 2 | 0.46% |
| 422 - Chemical spill or leak | 1 | 0.23% |
| 440 - Electrical wiring/equipment problem, other | 3 | 0.69% |
| 444 - Power line down | 1 | 0.23% |
| 445 - Arcing, shorted electrical equipment | 3 | 0.69% |
| 500 - Service Call, other | 1 | 0.23% |
| 531 - Smoke or odor removal | 1 | 0.23% |
| 553 - Public service | 2 | 0.46% |
| 554 - Assist invalid | 13 | 3.01% |
| 561 - Unauthorized burning | 2 | 0.46% |
| 600 - Good intent call, other | 5 | 1.16% |
| 622 - No incident found on arrival at dispatch address | 3 | 0.69% |
| 651 - Smoke scare, odor of smoke | 1 | 0.23% |
| 730 - System malfunction, other | 1 | 0.23% |
| 733 - Smoke detector activation due to malfunction | 3 | 0.69% |
| 735 - Alarm system sounded due to malfunction | 2 | 0.46% |
| 736 - CO detector activation due to malfunction | 8 | 1.85% |
| 741 - Sprinkler activation, no fire - unintentional | 1 | 0.23% |
| 743 - Smoke detector activation, no fire - unintentional | 3 | 0.69% |
| 744 - Detector activation, no fire - unintentional | 1 | 0.23% |
| 745 - Alarm system activation, no fire - unintentional | 14 | 3.24% |
| 746 - Carbon monoxide detector activation, no CO | 4 | 0.93% |
| 800 - Severe weather or natural disaster, other | 2 | 0.46% |
| 813 - Wind storm, tornado/hurricane assessment | 1 | 0.23% |
| Zone: Villa Hills - City of Villa Hills Total Incident: | 202 | 46.76% |
| TOTAL INCIDENTS FOR All ZONES: | 432 | 100% |

Agency Activity Summary

Crescent Springs / Villa Hills Fire Department

Agency: Crescent Springs / Villa Hills Fire Department | Service Date: From 08/01/2025 Through 08/31/2025

| Total | Number | of | ePCRs: 121 |
|-------|--------|----|----------------|
| Total | Number | of | Incidents: 121 |

By Branch

01 Crescent Springs/Villa Hills Fire

Left Blank = 34

Department = 87

| Dilliam D. | in man a léin m | LODCD | Data | Onl | 120 |
|------------|-----------------|-------|------|------|-----|
| Rilling D | sposition | GELCK | Data | OIII | 31 |

| Differing Discounting (| # | % | | # | % |
|---------------------------------------|-----|-------|-----------------------------------|-----|------|
| Tracted/Transported | 81 | 66.9% | Dead Prior To Arrival | N/A | N/A |
| Treated/Transported | 1 | 0.8% | Dead After Arrival | N/A | N/A |
| Treated / Transferred Care | 4 | | Treat/Transported by Private Veh. | N/A | N/A |
| Treated/No Transport (AMA) | 1 | | Assist | N/A | N/A |
| Treated / No Transport (Per Protocol) | N/A | N/A | Other | 8 | 6.6% |
| Transported / Refused Care | | | No Patient Found | N/A | N/A |
| No Transport / Refused Care | 18 | | No Fallett Found | | |
| Cancelled | 8 | 6.6% | | | |
| Left Blank | N/A | N/A | | | |

Unit Disposition (ePCR Data Only)

| Description | # | % |
|---|-----|--------|
| *Patient Contact Made | 111 | 91.7% |
| Cancelled Prior to Arrival at Scene | 2 | 1.7% |
| No Patient Contact | 3 | 2.5% |
| No Patient Found | 3 | 2.5% |
| Non-Patient Incident (Not Otherwise Listed) | 2 | 1.7% |
| Left Blank | 0 | 0.0% |
| Total | 121 | 100.0% |

Patient Evaluation/Care Disposition (ePCR Data Only)

| Description | # | % |
|-------------------------------------|-----|--------|
| Not Applicable | 2 | 1.7% |
| Patient Evaluated and Care Provided | 87 | 71.9% |
| Patient Evaluated and Refused Care | 8 | 6.6% |
| Patient Evaluated, No Care Required | 6 | 5.0% |
| Patient Refused Evaluation/Care | 10 | 8.3% |
| Left Blank | 8 | 6.6% |
| Total | 121 | 100.0% |
|) Oldi | | |

Crew Disposition (ePCR Data Only)

| Description | # | % |
|---|-----|----------------|
| Assumed Primary Care from Another EMS Crew | 1 | 0.8% |
| Back in Service, Care/Support Services Refused | 16 | 13.2% |
| Back in Service, No Care/Support Services Required | 7 | 5.8% |
| Initiated Primary Care and Transferred to Another EMS | 1 | 0.8% |
| Crew | | 70.00 / |
| Initiated and Continued Primary Care | 85 | 70.2% |
| Left Blank | 11 | 9.1% |
| Total | 121 | 100.0% |

Transport Disposition (ePCR Data Only)

| Description | # | % |
|--|----|-------|
| No Transport | 10 | 8.3% |
| T 2000 - T N 3 7 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 0.8% |
| Not Applicable | 16 | 13.2% |
| Patient Refused Transport | 1 | 0.8% |
| Transport by Another EMS Unit Transport by This EMS Unit (This Crew Only) | 81 | 66.9% |
| The state of the s | | |

%

 Left Blank
 12
 9.9%

 Total
 121
 100.0%

| # | % | | # | % |
|--------------------------|---|--|--|---|
| | 100.0% | Non-Emergency Runs | N/A | N/A |
| | | | N/A | N/A |
| | 15.136.51 | | N/A | N/A |
| | 5015 500 | | N/A | N/A |
| N/A | N/A | Intercept | N/A | N/A |
| N/A N/A N/A N/A | N/A N/A N/A | Non-Emergency Runs (Scheduled) Stand By Mutual Aid Interfacility Intercept | N/A N/A N/A N/A N/A | N/A N/A N/A N/A |
| | 121 N/A 5 N/A N/A N/A N/A | 121 100.0% N/A N/A 5 4.1% N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A | 121 100.0% Non-Emergency Runs N/A N/A Stand By 5 4.1% Mutual Aid N/A N/A Interfacility N/A N/A Intercept N/A N/A Non-Emergency Runs (Scheduled) N/A N/A Stand By N/A N/A Mutual Aid N/A N/A Interfacility | 121 100.0% Non-Emergency Runs N/A N/A N/A N/A Stand By 5 4.1% Mutual Aid N/A N/A N/A N/A N/A N/A N/A N/ |

Emergency Type Left Blank: 0

| Runs by Unit (e | PCR | Data | Only) |
|-----------------|-----|------|-------|
|-----------------|-----|------|-------|

| I CLEET LO Y | CHIEF ! | | ,, | | | | | Donal | Dood | T/T | No Trans/ | | | No Pat. |
|--------------|---------|--------|----------|--|------------|-----------|-----------|-----------|-----------|----------|-----------|--------|----------|---------|
| | Total | Treat/ | Treat | Treat/No | Treat/No | Transp/ | | Dead | Dead | | | | ~ | |
| | | | | The second secon | Transp(PP) | Ref. Care | Cancelled | Prior Arr | After Arr | Priv Veh | Ref. Care | Assist | Other | Found |
| Unit | Runs | Transp | Transfer | Transp(AMA) | Hansh(LL) | Kel. Care | Carreence | 2 | 0 | ^ | 7 | 0 | 1 | 0 |
| 503 | Q | 0 | 0 | 0 | 0 | 0 | 0 | U | U | U | , | U | | |
| | U | | - | | 4 | 0 | Q | 0 | 0 | 0 | 11 | 0 | 7 | 0 |
| 514 | 101 | 73 | 0 | 7 | 1 | U | 0 | | | ~ | ^ | 0 | 0 | 0 |
| | 4.4 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | U | U | U | 0 | U |
| 516 | 11 | 0 | U | - | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 524 | 1 | 0 | 1 | 0 | 0 | U | U | U | - 0 | | | | | |
| | | 6.4 | | 4 | 1 | 0 | 8 | 0 | 0 | 0 | 18 | U | 8 | U |
| Total | 121 | 81 | 7 | 4 | 1 | U | , | | | | | | | |
| | | | | | | | | | | | | | | |

Runs by Service Level (ePCR Data Only)

| Dispatched Service Level | # | % | Recommended Service Level | # | % |
|-----------------------------|----------|----------------|------------------------------|------------|----------------|
| BLS ALS | 60 61 | 49.6% 50.4% | BLS ALS1 | 53 67 | 43.8% 55.4% |
| SCT | N/A | N/A | ALS2 SCT | 1 N/A | 0.8% N/A |
| | | | Rotary Wing Fixed Wing | N/A N/A | N/A N/A |

Runs by Insurance Type with Service Level (ePCR Data Only) (Multiple

insurance types may have been marked on a run)

| insurance types | may na | ave been | marked | on a rui | " | | | | | 0/ == | 1 AAC | 0/ | Total | 0/ |
|-----------------|--------|----------|--------|----------|------|------|-----|--------|--------|--------|-------|-----|--|--|
| Type | BLS | % | ALS1 | % | ALS2 | % | SCT | %Rotar | y Wing | %FIXed | vving | 70 | A STATE OF THE PARTY OF THE PAR | CONTRACT OF THE PARTY OF THE PA |
| | | 43.8% | | | | 0.8% | N/A | N/A | N/A | N/A | N/A | N/A | 121 10 | 00.0% |

Runs by Primary PI (ePCR Data Only)

| Description | # | % |
|------------------------------------|---|------|
| Malaise and fatigue | 2 | 1.7% |
| Abdominal Pain | 4 | 3.3% |
| Acute pain due to trauma | 3 | 2.5% |
| Acute respiratory distress | 1 | 0.8% |
| Allergic Reaction | 1 | 0.8% |
| Altered mental status, unspecified | 5 | 4.1% |
| Anxiety | 3 | 2.5% |
| Behavioral Disorder | 2 | 1.7% |
| CVA (Stroke) | 4 | 3.3% |
| Cardiac Arrest | 1 | 0.8% |
| Cardiac Symptoms | 3 | 2.5% |
| Cardiac arrhythmia, unspecified | 2 | 1.7% |
| Chest Pain | 5 | 4.1% |
| Cirrhosis of liver | 1 | 0.8% |
| Diarrhea | 1 | 0.8% |
| Dizziness | 7 | 5.8% |
| Dyspnea-SOB | 5 | 4.1% |
| Eye Symp.(no trauma) | 1 | 0.8% |
| Femur Fracture | 1 | 0.8% |
| Fever/Elevated Temp | 1 | 0.8% |
| Level/Elevated Lemb | • | |

| Hip Fracture | 1 | 0.8% |
|------------------------------------|-----|--------|
| Hyperglycemia - Type 2 Diabetic | 1 | 0.8% |
| Jaundice | 1 | 0.8% |
| Monitoring Required | 1 | 0.8% |
| Nausea | 2 | 1.7% |
| No Medical Problem | 8 | 6.6% |
| Obvious Death | 1 | 0.8% |
| Pain, not elsewhere classified | 4 | 3.3% |
| Post-Op Complication | 2 | 1.7% |
| Seizure | 1 | 0.8% |
| Severe sepsis without septic shock | 1 | 0.8% |
| Suicide attempt | 1 | 0.8% |
| Syncope/Fainting | 2 | 1.7% |
| Trauma Injury | 7 | 5.8% |
| Unconscious | 1 | 0.8% |
| Unknown Medical | 5 | 4.1% |
| Vomiting Blood | 1 | 0.8% |
| Weakness | 11 | 9.1% |
| Left Blank | 17 | 14.0% |
| Total | 121 | 100.0% |

Runs by Dispatch (EMD) Code

| Runs by Dispatch (EMD) Code | | |
|------------------------------|-----|--------|
| Description | # | % |
| 101 Abdominal/Stomach Pain | 2 | 1.7% |
| 105 Accident-w/Injuries | 5 | 4.1% |
| 109 Alarm-Medical Emergency | 1 | 0.8% |
| 110 Allergies/Sting Reaction | 1 | 0.8% |
| 112 Arm/Hand Injury | 7 | 5.8% |
| 116 Assist-Police | 1 | 0.8% |
| 117 Back Pain/Injury | 2 | 1.7% |
| 118 Bleeding/Hemorrhage | 2 | 1.7% |
| 121 Broken/Fractured Bone | 4 | 3.3% |
| 123 Chest Injury/Pains | 7 | 5.8% |
| 125 Choking | 1 | 0.8% |
| 126 Diabetic Reaction | 2 | 1.7% |
| 127 Difficulty Breathing | 12 | 9.9% |
| 128 Dizzy | 3 | 2.5% |
| 133 Emotional Crisis | 7 | 5.8% |
| 137 Fall | 4 | 3.3% |
| 140 Head Injury | 7 | 5.8% |
| 143 III/Non-Specific | 26 | 21.5% |
| 146 Non-Responsive Person | 10 | 8.3% |
| 147 Not Breathing | 2 | 1.7% |
| 152 Seizure | 4 | 3.3% |
| 158 Stroke | 3 | 2.5% |
| 160 Well Being Check | 1 | 0.8% |
| 170 Structure Fire | 1 | 0.8% |
| Left Blank | 6 | 5.0% |
| Total | 121 | 100.0% |
| | | |

Transport From (Category)

| Transport From (Category) | | |
|--|---------|--------|
| | # | % |
| Home/Residence | 66 | 54.5% |
| Res. Custodial Facility | 1 | 0.8% |
| Facility | 4 | 3.3% |
| | 2 | 1.7% |
| Public Building Street/Hwy | 7 | 5.8% |
| Industrial Place | 1 | 0.8% |
| Other | 1 | 0.8% |
| Res. Custodial Facility - Nursing Home | 21 | 17.4% |
| Private Commercial Establishment | 2 | 1.7% |
| Left Blank | 16 | 13.2% |
| Total | 121 | 100.0% |
| 70167 | | |
| Transport From (Facility) (ePCR Data Only) | | |
| Transport From (Facility) (er CK Data Only) | # | % |
| 1 - 0 DII | 121 | 100.0% |
| Left Blank | 121 | 100.0% |
| Total | | |
| The state of the A (-DCD Date Only) | | |
| Transport To (Destination Facility) (ePCR Data Only) | 44 | % |
| | # 72 | 59.5% |
| St. Elizabeth Edgewood | 40 | 33.1% |
| -Left Blank | | 3.3% |
| St. Elizabeth Florence | 4 2 | 1.7% |
| Cincinnati Children's Hospital Medical Center | 2 | 1.7% |
| University of Cincinnati | 1 | 0.8% |
| St. Elizabeth Covington | 121 | 100.0% |
| Total | 121 | 100.0% |
| | | |